



## SAFETY DATA SHEET NON ACIDIC WHEEL CLEANER

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name NON ACIDIC WHEEL CLEANER

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against No specific uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

Supplier Advanced Vehicle Cleaning Supplies Ltd  
Advanced Vehicle Cleaning Supplies Ltd  
Unit 2 Albion Trading Estate, Salamons Way  
Ferry Lane South, Rainham, Essex, RM13 9UL  
info@avcsl.com

#### 1.4. Emergency telephone number

Emergency telephone +441708 553 385 (Mon-Fri 9:00am-5:00pm GMT)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (SI 2019 No. 720)

Physical hazards Met. Corr. 1 - H290  
Health hazards Skin Corr. 1A - H314 Eye Dam. 1 - H318  
Environmental hazards Aquatic Chronic 3 - H412

#### 2.2. Label elements

##### Hazard pictograms



Signal word Danger

Hazard statements  
H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H412 Harmful to aquatic life with long lasting effects.

## NON ACIDIC WHEEL CLEANER

<b>Precautionary statements</b>	<p>P102 Keep out of reach of children.</p> <p>P103 Read label before use.</p> <p>P234 Keep only in original packaging.</p> <p>P260 Do not breathe vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310 Immediately call a POISON CENTER/ doctor.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P363 Wash contaminated clothing before reuse.</p> <p>P390 Absorb spillage to prevent material damage.</p> <p>P405 Store locked up.</p> <p>P406 Store in a corrosion-resistant container with a resistant inner liner.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
<b>Supplemental label information</b>	Contains amongst other ingredients: <5% EDTA , <5% non-ionic surfactants , <5% amphoteric surfactants , <5% cationic surfactants.
<b>Contains</b>	sodium hydroxide, tetrasodium ethylene diamine tetraacetate, alcohol ethoxylate C9-11
<b>Detergent Labelling</b>	Contains amongst other ingredients: <5% EDTA , <5% non-ionic surfactants , <5% amphoteric surfactants , <5% cationic surfactants .

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

<b>sodium hydroxide</b>	<b>5-10%</b>
CAS number: 1310-73-2	EC number: 215-185-5
<b>Classification</b>	
Met. Corr. 1 - H290	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	
<b>tetrasodium ethylene diamine tetraacetate</b>	<b>1-5%</b>
CAS number: 64-02-8	EC number: 200-573-9
<b>Classification</b>	
Acute Tox. 4 - H302	
Acute Tox. 4 - H332	
Eye Dam. 1 - H318	

## NON ACIDIC WHEEL CLEANER

<b>alcohol ethoxylate C9-11</b>	<b>1-5%</b>
CAS number: 68439-46-3	EC number: 614-482-0
<b>Classification</b>	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	
<b>2-butoxyethanol</b>	<b>1-5%</b>
CAS number: 111-76-2	EC number: 203-905-0
<b>Classification</b>	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Acute Tox. 4 - H332	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
<b>C12-16 alkyl dimethyl benzyl ammonium chloride</b>	<b>&lt;1%</b>
CAS number: 68424-85-1	EC number: 270-325-2
M factor (Acute) = 10	M factor (Chronic) = 1
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Acute Tox. 4 - H302	Xn; R22. C; R34. N; R50/53
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	If in doubt, get medical attention promptly.
<b>Inhalation</b>	Get medical attention if any discomfort continues.
<b>Ingestion</b>	Give plenty of water to drink. Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Rinse with water. Continue to rinse for at least 15 minutes.
<b>Eye contact</b>	Remove affected person from source of contamination. Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	Severe irritation of nose and throat. Burns can occur.

## NON ACIDIC WHEEL CLEANER

<b>Ingestion</b>	Burns can occur. Nausea, vomiting.
<b>Skin contact</b>	Burns can occur. Pain or irritation.
<b>Eye contact</b>	Causes serious eye damage.

### **4.3. Indication of any immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	Treat symptomatically.
<b>Specific treatments</b>	Not applicable.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	Not applicable.

### **5.2. Special hazards arising from the substance or mixture**

<b>Specific hazards</b>	The product is non-combustible. None known.
<b>Hazardous combustion products</b>	None known.

### **5.3. Advice for firefighters**

<b>Protective actions during firefighting</b>	Avoid breathing fire gases or vapours.
<b>Special protective equipment for firefighters</b>	Firefighter's clothing will provide a basic level of protection for chemical incidents.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Avoid contact with eyes and prolonged skin contact.
-----------------------------	-----------------------------------------------------

### **6.2. Environmental precautions**

<b>Environmental precautions</b>	No negative effects on the aquatic environment are known. Not regarded as dangerous for the environment.
----------------------------------	----------------------------------------------------------------------------------------------------------

### **6.3. Methods and material for containment and cleaning up**

<b>Methods for cleaning up</b>	Contain spillage with sand, earth or other suitable non-combustible material. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
--------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### **6.4. Reference to other sections**

<b>Reference to other sections</b>	For personal protection, see Section 8. For waste disposal, see Section 13.
------------------------------------	-----------------------------------------------------------------------------

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

<b>Usage precautions</b>	Avoid contact with skin, eyes and clothing.
<b>Advice on general occupational hygiene</b>	Clean equipment and the work area every day. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Wash contaminated clothing before reuse.

### **7.2. Conditions for safe storage, including any incompatibilities**

## NON ACIDIC WHEEL CLEANER

**Storage precautions** Keep only in the original container. Keep container tightly closed in a cool place.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### sodium hydroxide

WEL: Short Term Exposure Limit (STEL): 2 mg/m<sup>3</sup>

##### 2-butoxyethanol

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m<sup>3</sup>

Sk

Sk = Can be absorbed through the skin.

#### sodium hydroxide (CAS: 1310-73-2)

**DNEL** Industry - Inhalation; Long term local effects: 1 mg/m<sup>3</sup>  
Consumer - Inhalation; Long term local effects: 1 mg/m<sup>3</sup>

#### 2-butoxyethanol (CAS: 111-76-2)

**Ingredient comments** WEL = Workplace Exposure Limit

**DNEL** Industry - Dermal; Short term systemic effects: 89 mg/kg/day  
Industry - Inhalation; Short term systemic effects: 1091 mg/m<sup>3</sup>  
Industry - Inhalation; Short term local effects: 246 mg/m<sup>3</sup>  
Industry - Dermal; Long term systemic effects: 125 mg/kg/day  
Industry - Inhalation; Long term systemic effects: 98 mg/m<sup>3</sup>  
Consumer - Inhalation; Short term systemic effects: 426 mg/m<sup>3</sup>  
Consumer - Oral; Short term systemic effects: 26.7 mg/kg/day  
Consumer - Dermal; Short term systemic effects: 89 mg/kg/day  
Consumer - Dermal; Long term systemic effects: 75 mg/kg/day  
Consumer - Inhalation; Long term local effects: 147 mg/m<sup>3</sup>  
Consumer - Inhalation; Long term systemic effects: 59 mg/m<sup>3</sup>  
Consumer - Oral; Long term systemic effects: 6.3 mg/kg/day

**PNEC** Fresh water; 8.8 mg/l  
marine water; 0.88 mg/l  
Sediment (Freshwater); 8.14 mg/kg  
Sediment (Marinewater); 3.46 mg/kg  
Soil; 2.8 mg/kg  
STP; 463 mg/l

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Avoid inhalation of vapours and spray/mists. Observe any occupational exposure limits for the product or ingredients.

## NON ACIDIC WHEEL CLEANER

<b>Eye/face protection</b>	Contact lenses should not be worn when working with this chemical. Chemical splash goggles.
<b>Hand protection</b>	Wear protective gloves. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation.
<b>Other skin and body protection</b>	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
<b>Hygiene measures</b>	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Wash promptly with soap and water if skin becomes contaminated. Wash contaminated clothing before reuse.
<b>Respiratory protection</b>	No specific recommendations.
<b>Environmental exposure controls</b>	Keep container tightly sealed when not in use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Clear liquid.
<b>Colour</b>	Blue.
<b>Odour</b>	Characteristic.
<b>pH</b>	pH (concentrated solution): 13.00 - 14.00
<b>Relative density</b>	1.05 - 1.07 @ 20°C

#### 9.2. Other information

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	The reactivity data for this product will be typical of those for the following class of materials: Alkalis.
-------------------	--------------------------------------------------------------------------------------------------------------

#### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
------------------	---------------------------------------------------------------------

#### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	None known.
-------------------------------------------	-------------

#### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Avoid exposure to high temperatures or direct sunlight. Avoid freezing.
----------------------------	-------------------------------------------------------------------------

#### 10.5. Incompatible materials

<b>Materials to avoid</b>	Strong oxidising agents. Strong reducing agents.
---------------------------	--------------------------------------------------

#### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	May emit toxic fumes under fire conditions.
-----------------------------------------	---------------------------------------------

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity - oral

## NON ACIDIC WHEEL CLEANER

ATE oral (mg/kg) 9,543.39

### Acute toxicity - dermal

ATE dermal (mg/kg) 55,000.0

### Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 246.09

**Inhalation** Vapours may irritate throat/respiratory system.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Prolonged skin contact may cause redness and irritation.

**Eye contact** May cause irritation.

## SECTION 12: Ecological information

**Ecotoxicity** The product is not expected to be hazardous to the environment.

### 12.1. Toxicity

**Toxicity** Not applicable.

### 12.2. Persistence and degradability

**Persistence and degradability** The product is biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product is not bioaccumulating.

### 12.4. Mobility in soil

**Mobility** The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Dispose of waste product or used containers in accordance with local regulations

## SECTION 14: Transport information

### 14.1. UN number

UN No. (ADR/RID) 1719

UN No. (IMDG) 1719

UN No. (ICAO) 1719

UN No. (ADN) 1719

### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** CAUSTIC ALKALI LIQUID, N.O.S.

**Proper shipping name (IMDG)** CAUSTIC ALKALI LIQUID, N.O.S.

## NON ACIDIC WHEEL CLEANER

**Proper shipping name (ICAO)** CAUSTIC ALKALI LIQUID, N.O.S.

**Proper shipping name (ADN)** CAUSTIC ALKALI LIQUID, N.O.S.

### 14.3. Transport hazard class(es)

<b>ADR/RID class</b>	8
<b>ADR/RID classification code</b>	C5
<b>ADR/RID label</b>	8
<b>IMDG class</b>	8
<b>ICAO class/division</b>	8
<b>ADN class</b>	8

### **Transport labels**



### 14.4. Packing group

<b>ADR/RID packing group</b>	III
<b>IMDG packing group</b>	III
<b>ICAO packing group</b>	III
<b>ADN packing group</b>	III

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

<b>IMDG Code segregation group</b>	18. Alkalis
<b>EmS</b>	F-A, S-B
<b>ADR transport category</b>	3
<b>Emergency Action Code</b>	2R
<b>Hazard Identification Number (ADR/RID)</b>	80
<b>Tunnel restriction code</b>	(E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

#### **SECTION 15: Regulatory information**

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### **SECTION 16: Other information**

**General information** Only trained personnel should use this material.

## NON ACIDIC WHEEL CLEANER

<b>Issued by</b>	HS&E Manager.
<b>Revision date</b>	06/06/2023
<b>Revision</b>	2
<b>Supersedes date</b>	22/01/2021
<b>SDS number</b>	8805
<b>Hazard statements in full</b>	H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
<b>Code</b>	
<b>Other Information</b>	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.